This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS

IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

FADED TEXT OR DRAWING

BLURRED OR ILLEGIBLE TEXT OR DRAWING

SKEWED/SLANTED IMAGES

COLOR OR BLACK AND WHITE PHOTOGRAPHS

GRAY SCALE DOCUMENTS

LINES OR MARKS ON ORIGINAL DOCUMENT

REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

O OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

	Documen t ID	Issue Date	Title	Current OR	Inventor
1	US 20020107 889 A1	20020808	Markup language routing and administration	715/513	Stone, Christopher et al.
2	US 6768994 B1	20040727	Web based data mining and location data reporting and system	707/10	Howard, Craig et al.
3	US 20040128 169 A1	20040701	Multiple organization data access monitoring and management system	705/3	Lusen, William D.
4	US 20020066 072 A1	20020530	Method and computer program for producing a regulator or controller	717/104	Crevatin, Mario
5	US 20020035 533 A1	20020321	System and method for processing like-kind exchange transactions	705/37	Mache, Niels et al.
6	US 20040143 599 A1	20040722	System and method for command line administration of project spaces using XML objects	707/104.1	Shalabi, Sami M. et al.
7	US 6589291 B1	20030708	Dynamically determining the most appropriate location for style sheet application	715/513	Boag, Scott A. et al.
8	US 6519617 B1	20030211	Automated creation of an XML dialect and dynamic generation of a corresponding DTD	715/513	Wanderski, Michael C. et al.
9	US 6463440 B1	20021008	Retrieval of style sheets from directories based upon partial characteristic matching	707/102	Hind, John R. et al.
10	US 6023714 A	20000208	Method and system for dynamically adapting the layout of a document to an output device	715/513	Hill, William et al.
11	US 5943680 A	19990824	Output apparatus in which a plurality of images having a plurality of accuracy of colors are output to output devices having different accuracy of colors	715/528	Shimizu, Haruo et al.
12	US 20020026 461 A1	20020228	System and method for creating a source document and presenting the source document to a user in a target format	715/523	Kutay, Ali et al.

	Documen t ID	Issue Date	Title	Current OR	Inventor
13	US 20010044 811 A1	20011122	Method and system for reporting XML data based on precomputed context and a document object model		Ballantyne, Alando M. et al.

L Number	Hits	Search Text	DB	Time stamp
-	255	(715/523).CCLS.	USPAT;	2004/08/23 13:32
İ			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/00/22 42:22
-	265	(715/503).CCLS.	USPAT;	2004/08/23 13:32
1			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
İ		m (-10) 0010	IBM_TDB	2004/00/22 42:22
-	1610	(715/513).CCLS.	USPAT;	2004/08/23 13:33
			US-PGPUB; EPO; JPO;	
1			DERWENT;	
			IBM TDB	
ĺ		(10000045000711) FNI	USPAT;	2004/08/23 13:34
-	2	("20030158897").PN.	US-PGPUB;	2004/00/23 13.34
			EPO; JPO;	
i			DERWENT;	
1				
		(I/C000070II) DAI	IBM_TDB USPAT;	2004/08/23 13:35
-	2	("5860073").PN.	US-PGPUB;	2004/00/23 13:33
			EPO; JPO;	
1		•	DERWENT;	
			IBM_TDB	
	. 440	(745/500) OOLO	USPAT;	2004/08/23 13:36
-	140	(715/522).CCLS.	US-PGPUB;	2004/00/23 13:30
			EPO; JPO;	
			DERWENT:	
			IBM_TDB	
	00474		USPAT;	2004/08/23 13:38
-	20171	generat\$4 with report\$1	US-PGPUB	200-1/00/20 10:00
	200	(remark\$4 name report\$1) with html	USPAT;	2004/08/23 13:40
-	209	(generat\$4 same report\$1) with html	US-PGPUB	200-700/20 10.40
	105	(generat\$4 same report\$1) with xml	USPAT;	2004/08/23 13:41
-	105	(generativa same reportiva) with xim	US-PGPUB	200 1700/20 10:11
	232	(generat\$4 same report\$1) with (html markup)	USPAT;	2004/08/23 13:41
-	232	(generativa same reportur) with (hithir markup)	US-PGPUB	200 1100120 10111
	105	(generat\$4 same report\$1) with (xml (extended adj markup	USPAT;	2004/08/23 13:42
- 1	105	adj language))	US-PGPUB	200 //00/20 10:12
	0	(((generat\$4 same report\$1) with html) & ((generat\$4 same	USPAT;	2004/08/23 13:43
-	U	report\$1) with (xml (extended adj markup adj language)))) &	US-PGPUB	200 ,,00,20 10.10
1		((715/523).CCLS.)	00101	
	0	(((generat\$4 same report\$1) with html) & ((generat\$4 same	USPAT;	2004/08/23 13:43
-	U	report\$1) with (xml (extended adj markup adj language)))) &	US-PGPUB	200 1700.20 10.10
		((715/503).CCLS.)	33.3.	
	4	(((generat\$4 same report\$1) with html) & ((generat\$4 same	USPAT;	2004/08/23 13:43
-	4	report\$1) with (xml (extended adj markup adj language)))) &	US-PGPUB	
		(715/513).CCLS.)		
	4035	(707/10).CCLS.	USPAT;	2004/08/23 13:44
-	4033	(101110).0023.	US-PGPUB	
	0	("0018&13").PN.	USPAT;	2004/08/23 13:44
-	U	(00 100 13).1 14.	US-PGPUB	
ļ	1	((707/10).CCLS.) & ((generat\$4 same report\$1) with (xml	USPAT;	2004/08/23 13:44
-		((vor)10).CCE3.) & (\general@aracle reporter) with \(\lambda \) (extended adj markup adj language)))	US-PGPUB	
	33	((generat\$4 same report\$1) with html) & ((generat\$4 same	USPAT;	2004/08/23 13:47
-	33	report\$1) with (xml (extended adj markup adj language)))	US-PGPUB	
	105	((generat\$4 same report\$1) with xml) & ((generat\$4 same	USPAT;	2004/08/23 13:48
	105	report\$1) with (xml (extended adj markup adj language)))	US-PGPUB	255 .755/25 15.40
	105	((generat\$4 same report\$1) with xml) & (((generat\$4 same	USPAT;	2004/08/23 13:48
-	105	report\$1) with xml) & ((generat\$4 same report\$1) with (xml	US-PGPUB	200 //00/20 10.40
		(extended adj markup adj language))))	33.3.35	
1	_	((generat\$4 same report\$1) with xsl) & (((generat\$4 same	USPAT;	2004/08/23 14:09
-	7	report\$1) with yml \ & (/ (report\$4 same report\$1) with yml \		
-	7	report\$1) with xml) & (((generat\$4 same report\$1) with xml) & ((generat\$4 same report\$1) with (xml (extended adj	US-PGPUB	

-	4	("6463440" "6518980" "6519617" "6589291").PN.	USPAT; US-PGPUB	2004/08/23 14:05
		(#0.400.4.40##05.4.000@##C5.4.0C4.7##C5.90.204#\ DNL\ 9 //		2004/08/23 14:05
-	0	(("6463440" "6518980" "6519617" "6589291").PN.) & (((generat\$4 same report\$1) with xml) & ((generat\$4 same	USPAT; US-PGPUB	2004/06/23 14.05
-	3	report\$1) with (xml (extended adj markup adj language)))) (("6463440" "6518980" "6519617" "6589291").PN.) &	USPAT;	2004/08/23 14:06
	İ	((715/513).CCLS.)	US-PGPUB	2004/00/00 44 07
-	0	("(60237145943680)").PN.	USPAT; US-PGPUB	2004/08/23 14:07
	1	("6023714").PN.	USPAT;	2004/08/23 14:07
	·	(35_3, 1, 7, 1, 1, 1)	US-PGPUB	
-	1	("5943680").PN.	USPAT; US-PGPUB	2004/08/23 14:08
	8	("20010056429" "20020026461" "20020057297" "20020174147"		' 22004303<i> 5</i>8 89 2 '086442755" "
-	0	(20010030423 20020020401 20020037207 20020174141	US-PGPUB	
_	1		USPAT;	2004/08/23 14:11
_	•	(("20010056429" "20020026461" "20020057297" "20020174147		
		& ((715/523).CCLS.)	1	
-	o i		USPAT;	2004/08/23 14:11
	_	(("20010056429" "20020026461" "20020057297" "20020174147	" 1280 9355 12 06 65	9" "20030158897" "6442755"
		& ((715/503).CCLS.)		
-	2		USPAT;	2004/08/23 14:12
		(("20010056429" "20020026461" "20020057297" "20020174147	" CLEED-07355F1 200655	9" "20030158897" "6442755"
		& ((715/513).CCLS.)		000 1/00/00 11 10
-	0		USPAT;	2004/08/23 14:12
		(("20010056429" "20020026461" "20020057297" "20020174147	"DESTRUCTION	9 20030 58897 6442755
		& ((generat\$4 same report\$1) with (xml (extended adj	USPAT:	2004/08/23 14:14
-	3	(n(anthograt\$4æagneget)ort\$1) with html) & ((generat\$4 same report\$1) with xml) & ((generat\$4 same report\$1) with xsl) & (US-PGPUB	2004/08/23 14.14
		(generat\$4 same report\$1) with (html markup)) & ((generat\$4	03-FGF0B	
		same report\$1) with (xml (extended adj markup adj		
		language)))		
	0	20040128169.URPN.	USPAT	2004/08/23 14:13
-	0	20040128169.URPN.	USPAT	2004/08/23 14:13
_	0	20040128169.URPN.	USPAT	2004/08/23 14:13
_	ő	20030101086.URPN.	USPAT	2004/08/23 14:13
_	0	20030101086.URPN.	USPAT	2004/08/23 14:13
_	Ō	20030101086.URPN.	USPAT	2004/08/23 14:13
-	40	((generat\$4 same report\$1) with (html markup)) & (USPAT;	2004/08/23 14:14
		(generat\$4 same report\$1) with (xml (extended adj markup	US-PGPUB	
		adi language)))		
-	1	(((generat\$4 same report\$1) with (html markup)) & (USPAT;	2004/08/23 14:15
		(generat\$4 same report\$1) with (xml (extended adj markup	US-PGPUB	
		adj language)))) & ((707/10).CCLS.)	LICDAT.	2004/08/22 14:15
-	0		USPAT; US-PGPUB	2004/08/23 14:15
1		(generat\$4 same report\$1) with (xml (extended adj markup	03-70700	
	^	adj language)))) & ((("2geneca642នអ)ក្នេខ០៤ខ្មល់ជាង/6៧ក្រែ2002០០៤ភាឧ១ភូ))្គ"ឧ០០20174147	 	9"""""""""""""""""""""""""""""""""""""
-	0	((('agenerats4 same report\$1) with (xml (extended adj markup	US-PGPUB	1 +
		adj language)))) & (33 . 3. 35	
		(("6463440" "6518980" "6519617" "6589291").PN.) &		
		((715/513).CCLS.))		
_	0	1 **	USPAT;	2004/08/23 14:15
]	((generat\$4 same report\$1) with (xml (extended adj markup	US-PGPUB	
		adi language)))) &		
-	5	(([20010057R97)]"&QQ20174147	"12065,000 (12065)	\$ '7CXDAOB8125B887' 7 6 442755"
		(generat\$4 same report\$1) with (xml (extended adj markup	US-PGPUB	
		adi language)))) & ((715/513).CCLS.)		
-	0	((generat\$4 same report\$1) with (xml (extended adj markup	USPAT;	2004/08/23 14:22
	1	adj language))) & fotmat\$5	US-PGPUB	0004/00/55 11 15
-	99		USPAT;	2004/08/23 14:18
		adj language))) & format\$5	US-PGPUB	2004/00/02 44 46
-	979	xml with xsl	USPAT;	2004/08/23 14:18
		(//	US-PGPUB	2004/08/23 14:10
-	21	(((generat\$4 same report\$1) with (xml (extended adj markup	USPAT; US-PGPUB	2004/08/23 14:19
L	L	adj language))) & format\$5) & (xml with xsl)	03-FGFUB	

-	18	((((generat\$4 same report\$1) with (xml (extended adj markup adj language))) & format\$5) & (xml with xsl)) & (html	USPAT; US-PGPUB	2004/08/23 14:23
-	18	markup sgml) ((((generat\$4 same report\$1) with (xml (extended adj markup adj language))) & format\$5) & (xml with xsl)) & (html	USPAT; US-PGPUB	2004/08/23 14:23
<u>-</u>	12	markup) (((((generat\$4 same report\$1) with (xml (extended adj markup adj language))) & format\$5) & (xml with xsl)) & (html	USPAT; US-PGPUB	2004/08/23 14:23
-	15	markup)) & (report adj generat\$5) (US-6768994-\$ or US-6519617-\$ or US-6463440-\$ or US-6589291-\$ or US-6023714-\$ or US-5943680-\$).did. or	USPAT; US-PGPUB	2004/08/23 14:22
		(US-20020107889-\$ or US-20020035533-\$ or US-20020026461-\$ or US-20040143599-\$ or US-20040128169-\$ or US-20040125131-\$ or US-20030145280-\$ or US-20020066072-\$ or US-20010044811-\$).did.		
-	0	((US-6768994-\$ or ÚS-6519617-\$ or US-6463440-\$ or US-6589291-\$ or US-6023714-\$ or US-5943680-\$).did. or (US-20020107889-\$ or US-20020035533-\$ or	USPAT; US-PGPUB	2004/08/23 14:22
		US-20020026461-\$ or US-20040143599-\$ or US-20040128169-\$ or US-20040125131-\$ or US-20030145280-\$ or US-20020066072-\$ or US-20010044811-\$).did.) & fotmat\$5		
-	15	((US-6768994-\$ or US-6519617-\$ or US-6463440-\$ or US-6589291-\$ or US-6023714-\$ or US-5943680-\$).did. or (US-20020107889-\$ or US-20020035533-\$ or US-20020026461-\$ or US-20040143599-\$ or	USPAT; US-PGPUB	2004/08/23 14:23
-	14	US-20040128169-\$ or US-20040125131-\$ or US-20030145280-\$ or US-20020066072-\$ or US-20010044811-\$).did.) & format\$5 (((US-6768994-\$ or US-6519617-\$ or US-6463440-\$ or	USPAT;	2004/08/23 14:23
		US-6589291-\$ or US-6023714-\$ or US-5943680-\$).did. or (US-20020107889-\$ or US-20020035533-\$ or US-20020026461-\$ or US-20040143599-\$ or US-20040128169-\$ or US-20040125131-\$ or US-20030145280-\$ or US-20020066072-\$ or	US-PGPUB	
-	14	US-20010044811-\$).did.) & format\$5) & (html markup sgml) ((((US-6768994-\$ or US-6519617-\$ or US-6463440-\$ or US-6589291-\$ or US-6023714-\$ or US-5943680-\$).did. or (US-20020107889-\$ or US-20020035533-\$ or	USPAT; US-PGPUB	2004/08/23 14:23
		US-20020026461-\$ or US-20040143599-\$ or US-20040128169-\$ or US-20040125131-\$ or US-20030145280-\$ or US-20020066072-\$ or US-20010044811-\$).did.) & format\$5) & (html markup sgml))		
-	10	& (html markup) (((((US-6768994-\$ or US-6519617-\$ or US-6463440-\$ or US-6589291-\$ or US-6023714-\$ or US-5943680-\$).did. or (US-20020107889-\$ or US-20020035533-\$ or	USPAT; US-PGPUB	2004/08/23 14:24
		US-20020026461-\$ or US-20040143599-\$ or US-20040128169-\$ or US-20040125131-\$ or US-20030145280-\$ or US-20020066072-\$ or US-20010044811-\$).did.) & format\$5) & (html markup sgml))		
-	2	US-6589291-\$ or US-6023714-\$ or US-5943680-\$).did. or (US-20020107889-\$ or US-20020035533-\$ or	USPAT; US-PGPUB	2004/08/23 14:26
		ÙS-20020026461-\$ or US-20040143599-\$ or US-20040128169-\$ or US-20040125131-\$ or US-20030145280-\$ or US-20020066072-\$ or US-20010044811-\$).did.) & format\$5) & (html markup sgml))		
		& (html markup)) & (report adj generat\$5)) & (HTML adj based)		

		////// 0.70000 / A LIG 0540047 A LIG 0400440 A	LICDAT	0004/00/00 44 00
[-	9	((((((US-6768994-\$ or US-6519617-\$ or US-6463440-\$ or	USPAT;	2004/08/23 14:26
		US-6589291-\$ or US-6023714-\$ or US-5943680-\$).did. or	US-PGPUB	
		(US-20020107889-\$ or US-20020035533-\$ or	į.	
		US-20020026461-\$ or US-20040143599-\$ or		
ļ.		US-20040128169-\$ or US-20040125131-\$ or	Ì	
		US-20030145280-\$ or US-20020066072-\$ or		
1		US-20010044811-\$).did.) & format\$5) & (html markup_sgml))	Ì	
		& (html markup)) & (report adj generat\$5)) & (stylesheet xsl)		
-	0	((((((US-6768994-\$ or US-6519617-\$ or US-6463440-\$ or	USPAT;	2004/08/23 14:27
		US-6589291-\$ or US-6023714-\$ or US-5943680-\$).did. or	US-PGPUB	
1		(US-20020107889-\$ or US-20020035533-\$ or		
		US-20020026461-\$ or US-20040143599-\$ or		
1		US-20040128169-\$ or US-20040125131-\$ or		
		US-20030145280-\$ or US-20020066072-\$ or		
į į		US-20010044811-\$).did.) & format\$5) & (html markup sgml))		
		& (html markup)) & (report adj generat\$5)) & (stylesheet xsl))		
1 1		& (xmll)		
	3	((((((US-6768994-\$ or US-6519617-\$ or US-6463440-\$ or	USPAT;	2004/08/23 14:27
1 - 1	5	US-6589291-\$ or US-6023714-\$ or US-5943680-\$).did. or	US-PGPUB	2004/00/20 14.27
		(US-20020107889-\$ or US-20020035533-\$ or	00-1 01 05	
1 1		US-20020026461-\$ or US-20040143599-\$ or	1	
	,	US-20040128169-\$ or US-200401453395-\$ or		
ſ		US-20030145280-\$ or US-20020066072-\$ or	1	
		1 , , , , , , , , , , , , , , , ,		
[US-20010044811-\$).did.) & format\$5) & (html markup sgml))	1	
		& (html markup)) & (report adj generat\$5)) & (stylesheet xsl))		
[& (xml adj based)	LICDAT	0004/00/00 40 47
-	4	("6589291" "6463440" "6519617" "6023714").pn.	USPAT;	2004/08/23 16:47
[(US-PGPUB	0004/00/00 40 10
-	18	(generat\$4 same report\$1) with xsl	USPAT;	2004/08/23 16:48
			US-PGPUB	
-	1	("0605541").PN.	USPAT;	2004/08/23 17:17
[US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	